



SAFETY DATA SHEET 5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Product number 800-292-1123 W10

Internal identification D8004/3

Container size 2 x 5 litres

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Mirius™

A Coventry Group Company

Woodhams Road Siskin Drive Coventry CV3 4FX

Tel: +44 (0) 02476 639 739 Fax: +44 (0) 02476 639 717 Email: sales@mirius.com

Contact person For content of safety data sheet:, sds@mirius.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 1865407333 (Strictly for emergencies only: incidents involving damage to human

health and/or the environment)

National emergency telephone In case of a medical emergency following exposure to a chemical call NHS Direct in England

number or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

Precautionary statements P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Revision date: 23/07/2018 Revision: 5 Supersedes date: 16/06/2017

5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains 2-Bromo-2-

nitropropane-1, 3-diol, SODIUM BENZOATE, METHYLCHLOROISOTHIAZOLINONE and

METHYLISOTHIAZOLINONE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES 1-5%

CAS number: 68891-38-3 EC number: 500-234-8 REACH registration number: 01-

2119488639-16-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318 Aquatic Chronic 3 - H412

ALKYL AMIDO PROPYL DIMETHYLAMINE BETAINE

1-5%

CAS number: 61789-40-0 EC number: 263-058-8

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Dam. 1 - H318 Xi;R36.

Aquatic Chronic 3 - H412

COCONUT DIETHANOLAMIDE 1-5%

CAS number: 68603-42-9 EC number: 931-329-6

Classification Classification (67/548/EEC or 1999/45/EC)

Skin Irrit. 2 - H315 Xi;R38,R41.

Eye Dam. 1 - H318 Aquatic Chronic 2 - H411

MONOPROPYLENE GLYCOL 1-5%

CAS number: 57-55-6

Classification Classification (67/548/EEC or 1999/45/EC)

Not Classified -

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after

washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

Revision date: 23/07/2018 Revision: 5 Supersedes date: 16/06/2017

5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Ingestion May cause discomfort if swallowed. Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. In case of spills, beware of slippery floors and

surfaces.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Stop leak if safe to do so. Take care as floors and other surfaces may become slippery.

> Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid contact with eyes. Avoid spilling.

Advice on general occupational hygiene No specific measures identified.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

WEL = Workplace Exposure Limit

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL Workers - Inhalation; Long term systemic effects: 175 mg/m³

Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day

PNEC - Fresh water; 0.24 mg/l

Marine water; 0.024 mg/l
Intermittent release; 0.071 mg/l
Sediment, Fresh water; 0.917 mg/kg
Sediment, Marine water; 0.092 mg/kg

Soil; 7.5 mg/kgSTP; 10,000 mg/l

SODIUM CHLORIDE (CAS: 7647-14-5)

DNEL Workers - Inhalation; Long term systemic effects: 2068.62 mg/m³

Workers - Inhalation; Short term systemic effects: 2068.62 mg/m³ Workers - Dermal; Long term systemic effects: 295.52 mg/kg/day Workers - Dermal; Short term systemic effects: 295.52 mg/kg/day

General population - Inhalation; Long term systemic effects: 443.28 mg/m³ General population - Inhalation; Short term systemic effects: 443.28 mg/m³ General population - Dermal; Long term systemic effects: 126.65 mg/kg/day General population - Dermal; Short term systemic effects: 126.65 mg/kg/day General population - Oral; Long term systemic effects: 126.65 mg/kg/day General population - Oral; Short term systemic effects: 126.65 mg/kg/day

PNEC - Fresh water; 5 mg/l

- Intermittent release; 19

- STP; 500 mg/l - Soil; 4.86 mg/kg

COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)

DNEL Workers - Inhalation; Long term systemic effects: 73.4 mg/m³

Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm²

General population - Inhalation; Long term systemic effects: 21.73 mg/m³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

PNEC - Fresh water; 0.007 mg/l

- Marine water; 0.001 mg/l

- STP; 830 mg/l

- Sediment (Freshwater); 0.195 mg/kg - Sediment (Marinewater); 0.019 mg/kg

- Soil; 0.035

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

DNEL Workers - Inhalation; Long term systemic effects: 168 mg/m³

Workers - Inhalation; Long term local effects: 10 mg/m³

General population - Inhalation; Long term systemic effects: 50 mg/m3 General population - Inhalation; Long term local effects: 10 mg/m³

PNEC - Fresh water; 260 mg/l

- Intermittent release; 183 mg/l

- Marine water; 26 mg/l

- STP; 20000 mg/l

- Sediment (Freshwater); 572 mg/kg - Sediment (Marinewater); 57.2 mg/kg

- Soil; 50 mg/kg

GLYCEROL (CAS: 56-81-5)

DNEL Workers - Inhalation; Long term local effects: 56 mg/m³

> General population - Inhalation; Long term local effects: 33 mg/m³ General population - Oral; Long term systemic effects: 229 mg/kg/day

PNEC - Fresh water; 0.885 mg/l

> - Marine water; 0.0885 mg/l - Intermittent release; 8.85 mg/l

- STP; 1000 mg/l

- Sediment (Freshwater); 3.3 mg/kg - Sediment (Marinewater); 0.33 mg/kg

- Soil; 0.141 mg/kg

BRONOPOL (INN) (CAS: 52-51-7)

DNEL Workers - Inhalation; Long term systemic effects: 4.1 mg/m³

> Workers - Inhalation; Short term systemic effects: 12.3 mg/m³ Workers - Inhalation; Long term local effects: 4.2 mg/m³

Workers - Inhalation; Short term local effects: 4.2 mg/m³

Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day Workers - Dermal; Short term systemic effects: 7 mg/kg/day

Workers - Dermal; Long term local effects: 0.013 mg/cm²

Workers - Dermal; Short term local effects: 0.013 mg/cm²

General population - Inhalation; Long term systemic effects: 1.2 mg/m³ General population - Inhalation; Short term systemic effects: 3.7 mg/m3 General population - Inhalation; Long term local effects: 1.3 mg/m3

General population - Inhalation; Short term local effects: 1.3 mg/m³ General population - Dermal; Long term systemic effects: 1.4 mg/kg/day General population - Dermal; Short term systemic effects: 4.2 mg/kg/day

General population - Dermal; Long term local effects: 0.008 mg/cm² General population - Dermal; Short term local effects: 0.008 mg/cm²

General population - Oral; Long term systemic effects: 0.35 mg/kg/day General population - Oral; Short term systemic effects: 1.1 mg/kg/day

PNEC - Fresh water; 0.01 mg/l

- Marine water; 0.008 mg/l

- Intermittent release; 0.0025 mg/l

- STP; 0.43 mg/l

Sediment (Freshwater); 0.041 mg/kgSediment (Marinewater); 0.00328 mg/kg

- Soil; 0.5 mg/kg

DIETHANOLAMINE (CAS: 111-42-2)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m³

Workers - Dermal; Long term systemic effects: 0.13 mg/cm²

General population - Inhalation; Long term local effects: 0.25 mg/m³ General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.02 mg/l

- Marine water; 0.002 mg/l

- STP; 100 mg/l

Sediment (Freshwater); 0.092 mg/kgSediment (Marinewater); 0.009 mg/kg

- Soil; 0.007 mg/kg

CITRIC ACID ANHYDROUS (CAS: 77-92-9)

DNEL Available hazard data do not support the need for a DNEL to be established for

other health effects.

PNEC - Fresh water; 0.44 mg/l

- Marine water; 0.044 mg/l

- STP; >1000 mg/l

Sediment (Freshwater); 34.6 mg/kgSediment (Marinewater); 3.46 mg/kg

- Soil; 33.1

8.2. Exposure controls

Appropriate engineering

controls

No specific ventilation requirements.

Eye/face protection No specific eye protection required during normal use.

Hand protection Hand protection not required.

Other skin and body

protection

No specific requirements are anticipated under normal conditions of use.

Hygiene measures No specific measures identified.

Respiratory protection Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Pink.

Revision date: 23/07/2018 Revision: 5 Supersedes date: 16/06/2017

5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

Odour Perfume. Floral.

pH pH (concentrated solution): 5-6

Relative density 1.010-1.030 @ 20°C

Solubility(ies) Soluble in water.

Viscosity 1200-2000 cP @ 20°C

Explosive properties Not applicable

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties The mixture itself has not been tested but none of the ingredient substances meet the criteria

for classification as oxidising.

Comments Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid

No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

General information This product has low toxicity.

Inhalation No specific health hazards known.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended.

Eye contact May cause temporary eye irritation.

Revision date: 23/07/2018 Revision: 5 Supersedes date: 16/06/2017

5L SUPER PROFESSIONAL PINK LIQUID HAND SOAP W10

SECTION 12: Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the

environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this

product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct

request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information The generation of waste should be minimised or avoided wherever possible.

Disposal methods The packaging must be empty (drop-free when inverted). Wash with plenty of water. Waste

packaging should be collected for reuse or recycling. Refer to manufacturer/supplier for information on recovery/recycling. Dispose of waste to licensed waste disposal site in

accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Control of Substances Hazardous to Health Regulations 2002 (as amended).

EH40/2005 Workplace exposure limits.

EU legislation Regulation (EC) N° 1223/2009 on cosmetic products

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms PBT: Persistent, Bioaccumulative and Toxic substance.

used in the safety data sheet vPvB: Very Persistent and Very Bioaccumulative.

Revision comments New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of

28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous

revision.

Revision date 23/07/2018

Revision 5

Supersedes date 16/06/2017

SDS number 10618

Hazard statements in full H315 Causes skin irritation.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.