DESODORISANT MISTRAL 150ML LI

Date: 05/01/2015 Page 1/11

Revision: N°1 (12/08/2014)

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name: DESODORISANT MAESTRAL 150ML LI

Product code: CTG140919/0/01.

1.2. Relevant identified uses of the substance or mixture and uses advised against

atmosphere desodorizer

1.3. Details of the supplier of the safety data sheet

Registered company name: PRODIFA.

Address: ZAE LES DIX MUIDS - 59770 - MARLY - FRANCE.

Tel.: 03.27.28.19.19 Fax: 03.27.28.19.10

info@prodifa.com http://www.prodifa.com/

1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Flammable aerosol, Category 1 (Aerosol 1, H222 - H229).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1B (Skin Sens. 1B, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Extremely flammable (F+, R 12).

Skin sensitisation (Xi, R 43).

Aquatic environmental hazard, chronic toxicity: harmful (R 52/53).

2.2. Label elements

Mixture for aerosol application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:





GHS07 GHS02

Signal Word : DANGER

Product identifiers:

EC 250-954-9 4-TERT.BUTYLCYCLOHEXYL ACETATE

EC 204-262-9 SALICYLATE BENZYLE

EC 202-983-3 ALDEHYDE HEXYL CINNAMIQUE

EC 214-881-6 ALPHAMETHYL-3,4-METHYLENEDIOXYHYDRO CINNAMIC ALDEHYDE

 $Hazard\ statements:$

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

DESODORISANT MISTRAL 150ML LI

P102 Keep out of reach of children.

Precautionary statements - Prevention:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statements - Storage:

P410 + P412Protect from sunlight. Do no expose to temperatures exceeding 50 oC/122oF.

Precautionary statements - Disposal:

P501 Eliminate the contents / container according to the local regulations.

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH

regulations EC 1907/2006.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition:

Identification	(EC) 1272/2008	67/548/EEC	Note	%
INDEX: 601_004_00_0	GHS02, GHS04	F+	C [1]	50 <= x % < 100
CAS: 106-97-8	Dgr	F+;R12		
EC: 203-448-7	Flam. Gas 1, H220			
REACH: 01-2119474691-32	Press. Gas, H280			
BUTANE				
INDEX: 603_002_005A	GHS07, GHS02	F	[1]	10 <= x % < 25
CAS: 64-17-5	Dgr	F;R11		
EC: 200-578-6	Flam. Liq. 2, H225	,		
REACH: 01-2119457610-43	Eye Irrit. 2, H319			
ETHANOL				
INDEX: I18479_58_8	GHS07	Xi		$1 \le x \% < 2.5$
CAS: 18479-58-8	Wng	Xi;R38		
EC: 242-362-4	Eye Irrit. 2, H319			
REACH: 01-2119457274-37				
DIMYRCETOL				
(2,6-DIMETHYL-7-OCTEN-2-OL)	CHEOZ CHEOO	X' N		1 . 0/ .25
INDEX: I32210_23_4	GHS07, GHS09	Xi,N		1 <= x % < 2.5
CAS: 32210-23-4	Wng	Xi;R43		
EC: 250-954-9	Skin Sens. 1B, H317	N;R51/53		
4-TERT.BUTYLCYCLOHEXYL ACETATE	Aquatic Chronic 2, H411			
INDEX: A1222055	GHS09	N		1 <= x % < 2.5
CAS: 1222-05-5	Wng	N;R50/53		
	Aquatic Acute 1, H400			
1.3.4.6.7.8-HEXAHYDRO-4.6.6.7.8.8-HEXAMT	M Acute = 1			
YL-CYCLOPENTA-GAMMA-2-BENZOPYRA	Aquatic Chronic 1, H410			
NH	M Chronic = 1			

Version: N°1 (22/08/2014)

PRODIFA

DESODORISANT MISTRAL 150ML LI

Date: 05/01/2015 Page 3/11

Revision: N°1 (12/08/2014)

INDEX: I84_66_2			[1]	1 <= x % < 2.5
CAS: 84-66-2				
EC: 201-550-6				
REACH: 01-2119486682-27				
DIETHYL PHTHALATE				
INDEX: A118581	GHS09, GHS07	Xi,N		0 <= x % < 1
CAS: 118-58-1	Wng	Xi;R43		
EC: 204-262-9	Skin Sens. 1, H317	N;R51/53		
	Aquatic Chronic 2, H411			
SALICYLATE BENZYLE				
INDEX: A101860	GHS07	Xi		$0 \le x \% < 1$
CAS: 101-86-0	Wng	Xi;R38-R43		
EC: 202-983-3	Skin Irrit. 2, H315			
	Skin Sens. 1, H317			
ALDEHYDE HEXYL CINNAMIQUE				
INDEX: I1205_17_0	GHS07, GHS09	Xi,N		$0 \le x \% < 1$
CAS: 1205-17-0	Wng	Xi;R43		
EC: 214-881-6	Skin Sens. 1B, H317	N;R51/53		
	Aquatic Chronic 2, H411			
ALPHAMETHYL-3,4-				
METHYLENEDIOXYHY				
DRO CINNAMIC ALDEHYDE				

Information on ingredients:

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4: FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of exposure by inhalation:

Move the patient to free air at rest.

Make use of reanimation technics. A prolonged clinik supervision can be usefull

In the event of splashes or contact with eyes:

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

In the event of splashes or contact with skin:

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

DESODORISANT MISTRAL 150ML LI

Date: 05/01/2015 Page 4/11

Revision: N°1 (12/08/2014)

SECTION 5: FIREFIGHTING MEASURES

Flammable.

Chemical powders, carbon dioxide and other extinguishing gas are suitable for small fires.

5.1. Extinguishing media

Keep packages near the fire cool, to prevent pressurised containers from bursting.

Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- water with AFFF (Aqueous Film Forming Foam) additive
- halon
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

Prevent the effluent of fire-fighting measures from entering drains or waterways.

Unsuitable methods of extinction

In the event of a fire, do not use:

- water iet

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency

proceduresConsult the safety measures listed under headings 7
and 8.

Wearing of gloves, glasses and possibly with an autonomous mask.

Prevent the risks caused by the inhalation of steams.

Eliminate the fire in the zone.

The pouring can bring the surfaces slippery.

For non first aid worker

Because of the organic solvents contained in the mixture, eliminate sources of ignition and ventilate the area.

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

If the product contaminates waterways, rivers or drains, alert the relevant authorities in accordance with statutory procedures Use drums to dispose of collected waste in compliance with current regulations (see section 13). Prevent the points of ignition, and the hot surfaces.

6.3. Methods and material for containment and cleaning upClean

preferably with a detergent, do not use solvents.

Use some absorbent.

The elimination must be carried out by a registrated salvage professionnal.

6.4. Reference to other sections No data available.

DESODORISANT MISTRAL 150ML LI

Date: 05/01/2015 Page 5/11

Revision: N°1 (12/08/2014)

SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Remove contaminated clothing and protective equipment before entering eating areas.

Shake before using.

Prevent every contact with the skin and the eyes.

Use away of every flame or incandescent point.

Prevent accumulation of electrostatic charges.

Pulverise by short pressions, without prolonged pulverisation.

Follow hygiene and security rules because flamable capacity.

Do not use under tension.

Do not inhale steams.

Do not smoke.

Handle and store away from ignition sources and reductive substances

Fire prevention:

Handle in well-ventilated areas.

Vapours are heavier than air. They can spread along the ground and form mixtures that are explosive with air.

Prevent the formation of flammable or explosive concentrations in air and avoid vapor concentrations higher than the occupational exposure limits.

Do not spray on a naked flame or any incandescent material.

Do not pierce or burn, even after use.

Use the mixture in premises free of naked flames or other sources of ignition and ensure that electrical equipment is suitably protected.

Keep packages tightly closed and away from sources of heat, sparks and naked flames.

Do not use tools which may produce sparks. Do not smoke.

Prevent access by unauthorised personnel.

Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Do not breathe in aerosols.

Avoid skin and eye contact with this mixture.

Packages which have been opened must be reclosed carefully and stored in an upright position.

Do not smoke.

Gloves and glasses are recommanded.

Keep the original packing. Do not pierce or burn even after use.

Follow the hygiene and security rules.

Rules of storage and manipulation applicables to the gaz under pressure.

Use only in well-ventilated premises.

Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

Never open the packages under pressure.

Prevent high temperatures.

Never open the packages under pressure.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

DESODORISANT MISTRAL 150ML LI

Date: 05/01/2015 Page 6/11

Revision: N°1 (12/08/2014)

Keep the container tightly closed in a dry, well-ventilated place.

Keep away from all sources of ignition - do not smoke.

Keep well away from all sources of ignition, heat and direct sunlight.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits:

- France (INRS - ED984 :2008) :

CAS	VME-ppm:	VME-mg/ı	m3 : VLE-ppm :	VLE-mg/m3:	Notes:	TMP No :
106-97-8	800	1900	-	-	-	-
64-17-5	1000	1900	5000	9500	-	84
84-66-2	-	5	-	-	-	-

- UK / WEL (Workplace exposure limits, EH40/2005, 2007):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
106-97-8	600 ppm	750 ppm	-	-	-
64-17-5	1000 ppm	-	-	-	-
84-66-2	5 mg/m3	10 mg/m3	-	-	-

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR)) Recommended properties :
- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Version: N°1 (22/08/2014)

PRODIFA

DESODORISANT MISTRAL 150ML LI

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

- Respiratory protection

Do not use in closed and not ventilated space

Avoid inhalation

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on

basic physical and

chemical

propertiesGeneral

information:

Physical state: Fluid liquid.

Spray.

Date: 05/01/2015 Page 7/11

Revision: N°1 (12/08/2014)

Important health, safety and environmental information

pH: Not relevant.

Boiling point/boiling range: 78 °C.

Vapour pressure (50°C): Not relevant.

Density: < 1

Water solubility: Dilutable.

Viscosity: $v < 7 \text{ mm}2/s (40^{\circ}\text{C})$ Melting point/melting range: Not specified.

200 °C. Self-ignition temperature: Decomposition point/decomposition range : 200 °C.

Chemical combustion heat:

>= 30 kJ/g.

9.2. Other

informationNo data

available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity No data available.

10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

10.4. Conditions to avoid

Any apparatus likely to produce a flame or to have a metallic surface at high temperature (burners, electric arcs, furnaces etc.) must not be allowed on the premises.

Avoid:

- heating
- heat
- accumulation of electrostatic charges.
- flames and hot surfaces

10.5. Incompatible materials

Keep away from:

- strong acids
- strong oxidising agents

10.6. Hazardous decomposition products The

thermal decomposition may release/form:

- carbon monoxide (CO)

DESODORISANT MISTRAL 150ML LI

Date: 05/01/2015 Page 8/11

Revision: N°1 (12/08/2014)

- carbon dioxide (CO2)

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days. Splashes in the eyes may cause irritation and reversible damage May cause an allergic reaction by skin contact. **11.1.1.**

Substances

Acute toxicity:

ALPHAMETHYL-3,4-METHYLENEDIOXYHYDRO CINNAMIC ALDEHYDE (CAS: 1205-17-0)

Oral route: LD50 = 3550 mg/kg

4-TERT.BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)

Oral route: LD50 = 3370 mg/kg

DIMYRCETOL (2,6-DIMETHYL-7-OCTEN-2-OL) (CAS: 18479-58-8)
Oral route:
LD50 = 3600 mg/kg

Serious damage to eyes/eye irritation:

ETHANOL (CAS: 64-17-5)

Causes serious eye irritation.

Corneal haze: $1 \le \text{Average score} < 2$ and effects totally reversible within 21 days of observation

Conjunctival redness: $2 \le \text{Average score} < 2.5 \text{ and effects totally reversible within 21 days of observation}$

11.1.2. Mixture

No toxicological data available for the mixture.

$Monograph(s)\ from\ the\ IARC\ (International\ Agency\ for\ Research\ on\ Cancer):$

CAS 64-17-5: IARC Group 1: The agent is carcinogenic to humans.

SECTION 12: ECOLOGICAL INFORMATION

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

12.1. Toxicity

12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

Do not throw out product in the nature, in residual watters or superficials ones

SECTION 13: DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

Aerosol do not pierce or burn after use

CONSIGN TO AN APPROVED COLLECTOR. CONSULT THE PREFECTORAL ORDERS IN FORCE.

13.1. Waste treatment methods

Do not pour into drains or waterways.

Waste:

Revision : N°1 (12/08/2014)

Date: 05/01/2015 Page 9/11

DESODORISANT MISTRAL 150ML LI

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

SECTION 14: TRANSPORT INFORMATION

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

14.1. UN number

1950

14.2. UN proper shipping name

UN1950=AEROSOLS, flammable

14.3. Transport hazard class(es)

- Classification:



2.1

14.4. Packing group

_

14.5. Environmental hazards

-

14.6. Special precautions for user

.u. speciai	•		- ·	T	1	7.0	I .		1~	T
ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	2	5F	-	2.1	-	1 L	190 327 344 625	E0	2	D
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ		-	
	2.1	See	-	SP277	F-D,S-U	63 190 277 327	E0			
		SP63				344 959				
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	2.1	-	-	203	75 kg	203	150 kg	A145	E0	
								A167		
								A145		
								A167		
								A802		
	2.1	-	-	Y203	30 kg G	-	-	A145	E0	
								A167		
								A802		

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2: The following regulations have been used:
- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- Directive 75/734/CEE modified by directive 2013/10/UE

DESODORISANT MISTRAL 150ML LI

- Regulation EC 1272/2008 modified by regulation EC 618/2012

- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- Container information: No data available.
- Particular provisions : No data available.

15.2. Chemical safety assessment

No data available.

SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols:





Extremely flammable

Contains:

EC 250-954-9 4-TERT.BUTYLCYCLOHEXYL ACETATE

Risk phrase:

R 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R 43 May cause sensitisation by skin contact.

R 12 Extremely flammable.

Safety phrase:

Keep away every burn, ignition source or spark - do not smoke.

S 2 Keep out of the reach of children.

S 23 Do not breathe the vapours. S 23 Do not breathe spray. S 24 Avoid contact with skin. S 37 Wear suitable gloves.

S 46 If swallowed, seek medical advice immediately and show this container or label. Pressurized container: protect

from sunlight and do not expose to temperatures

exceeding 50°C.

Do not pierce or burn, even after use.

Do not spray on a naked flame or any incandescent material.

S 13 Keep away from food, drink and animal feedingstuffs.

S 51 Use only in well-ventilated areas.

Pulverise by short pressions, without prolonged pulverisation.

Do not use for any purpose other than the one for which it is intended.

Title for H, EUH and R indications mentioned in section 3:

H220Extremely flammable gas.

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH)

Date: 05/01/2015 Page 11/11 Revision: N°1 (12/08/2014) Version: N°1 (22/08/2014)

PRODIFA

DESODORISANT MISTRAL 150ML LI

H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
R 11	Highly flammable.
R 12	Extremely flammable.
R 38	Irritating to skin.
R 43	May cause sensitisation by skin contact.
R 50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS02 : Flame

GHS07: Exclamation mark