

SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



## SAFETY DATA SHEET LIFT

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name	LIFT
Product number	A054 EV
Internal identification	Professional Hygiene
UFI	UFI: 5SPE-810S-GG0T-1ET9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses                      Heavy Duty, Alkaline Liquid Hard Surface Cleaner. Suitable for use in the food Industry.

#### 1.3. Details of the supplier of the safety data sheet

Supplier	UK Supplier: Evans Vanodine International plc, Brierley Road, Walton Summit, Preston, PR5 8AH, UK. Tel: 01772 322 200. e-mail: <a href="mailto:productcompliance@evansvanodine.co.uk">productcompliance@evansvanodine.co.uk</a>	EU Supplier: Evans Vanodine Europe (FR), 3 Boulevard de Belfort, 1st Floor, Lille, 59000, France. Tel: +33 (0)3 76 04 21 87.
----------	---	--

#### 1.4. Emergency telephone number

Emergency telephone	New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm - Fri 8.30am to 1.30pm (Also available 24/7 from our website <a href="http://www.evansvanodine.co.uk">www.evansvanodine.co.uk</a> ) For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm
National emergency Telephone number	For Health Care Professionals only For use in UK: Contact the National Poisons Information Service for further advice. For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police) : 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Corr. 1B - H314 Eye Dam. 1 - H318
Environmental hazards	Not Classified

#### 2.2. Label elements

Hazard pictograms



Signal word                              Danger

## LIFT

Hazard statements	H314 Causes severe skin burns and eye damage.
Precautionary statements	<p>P102 Keep out of reach of children.</p> <p>P260 Do not breathe spray.</p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P315 Get immediate medical advice/ attention.</p> <p>P501 Dispose of contents/ container in accordance with local regulations.</p>
Contains	SODIUM METASILICATE, SODIUM HYDROXIDE

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

SODIUM DODECYL BENZENE SULPHONATE	3-5%
CAS number: 68411-30-3                      EC number: 270-115-0	
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
SODIUM METASILICATE	3-5%
CAS number: —	
Classification Skin Corr. 1B - H314 Eye Dam. 1 - H318	
2-BUTOXYETHANOL	3-5%
CAS number: 111-76-2                      EC number: 203-905-0	
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
SODIUM CUMENE SULPHONATE	3-5%
CAS number: 15763-76-5                      EC number: 239-854-6	
Classification Eye Irrit. 2 - H319	

## LIFT

ALCOHOL (C9-11) ETHOXYLATE (8EO)	0.1-1%
CAS number: 68439-46-3	
Alternative CAS Nos 160875-66-1, 68439-45-2	
Classification	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
SODIUM HYDROXIDE	0.1-1%
CAS number: 1310-73-2	EC number: 215-185-5
Spec Conc Limits :- Skin Corr. 1A (H314) $\geq 5\%$ , Skin Corr. 1B (H314) $\geq 2\% < 5\%$ , Skin Irrit. 2 (H315) $\geq 0.5\% < 2\%$ , Eye Irrit. 2 (H319) $\geq 0.5\% < 2\%$	
Classification	
Met. Corr. 1 - H290	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	

The Full Text for all Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances. If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Do not induce vomiting. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Wash with plenty of water. Get medical attention promptly if symptoms occur after washing.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Get medical attention immediately. Continue to rinse.

##### 4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway.
Ingestion	May cause chemical burns in mouth and throat.
Skin contact	Burning pain and severe corrosive skin damage. May cause serious chemical burns to the skin.
Eye contact	Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue damage.

##### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
----------------------	------------------------

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

##### 5.2. Special hazards arising from the substance or mixture

Specific hazards	Thermal decomposition or combustion products may include the following substances: Irritating gases or vapours.
------------------	--

## LIFT

### 5.3. Advice for firefighters

Special protective equipment for firefighters      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions      Wear protective clothing, gloves, eye and face protection. For personal protection, see Section 8.

### 6.2. Environmental precautions

Environmental precautions      Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up      Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

Reference to other sections      For personal protection, see Section 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Usage precautions      Wear protective clothing, gloves, eye and face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions      Keep only in the original container in a cool, well-ventilated place. Store away from the following materials: Oxidising materials. Acids.

### 7.3. Specific end use(s)

Specific end use(s)      The identified uses for this product are detailed in Section 1.2.

Usage description      See Product Information Sheet & Label for detailed use of this product.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters Occupational exposure limits

#### 2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m<sup>3</sup>

Sk

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

### 8.2. Exposure controls

Protective equipment



## LIFT

Appropriate engineering controls	Not relevant.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Wear protective gloves. (Household rubber gloves.)
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection not required.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Clear. Pale Straw.
Odour	Faint Solvent.
pH	pH (concentrated solution): 13.45
Melting point	-2°C
Initial boiling point and range	102°C @ 760 mm Hg
Flash point	Boils without flashing.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Density=1.075 @ 20°C
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not available.

#### 9.2. Other information

Other information	None.
Particle size	Not applicable.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Reactivity	Reactions with the following materials may generate heat: Strong acids.
------------	---

#### 10.2. Chemical stability

Stability	No particular stability concerns.
-----------	-----------------------------------

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	See sections 10.1, 10.4 & 10.5
------------------------------------	--------------------------------

## LIFT

### 10.4. Conditions to avoid

Conditions to avoid                      There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

Materials to avoid                      Strong acids. Aluminium, Tin, Zinc and their alloys.

### 10.6. Hazardous decomposition products

Hazardous decomposition products      No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Toxicological effects                      We have not carried out any animal testing for this product. Any ATE figures quoted below are from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

#### Acute toxicity - oral

Notes (oral LD<sub>50</sub>)                      Based on available data the classification criteria are not met.

ATE oral (mg/kg)                      14,391.37

#### Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>)                      Based on available data the classification criteria are not met.

ATE dermal (mg/kg)                      27,312.72

#### Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>)                      Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l)      275.58

#### Skin corrosion/irritation

Skin corrosion/irritation                      Causes severe burns.

#### Serious eye damage/irritation

Serious eye damage/irritation      Causes serious eye damage.

#### Respiratory sensitisation

Summary                                      Not applicable.

#### Skin sensitisation

Summary                                      Not applicable.

#### Germ cell mutagenicity

Summary                                      Not applicable.

#### Carcinogenicity

Summary                                      Not applicable.

#### Reproductive toxicity

Summary                                      Not applicable.

#### Specific target organ toxicity - single exposure

Summary                                      Not applicable.

#### Specific target organ toxicity - repeated exposure

Summary                                      Not applicable.

#### Aspiration hazard

Summary                                      Not applicable.

## LIFT

11.2. Information on other Hazards None known.

11.2.1 Endocrine disrupting properties None known.

## SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

### 12.1. Toxicity

Toxicity We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

### 12.2. Persistence and degradability

Persistence and degradability Sequestrant is readily degraded during biological effluent treatment processes.

### 12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

### 12.4. Mobility in soil

Mobility Not known.

### 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting properties None known.

### 12.7. Other adverse effects

Other adverse effects None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Disposal methods Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Rinse out empty container with water and consign to normal waste.

## SECTION 14: Transport information

General In 5L, as supplied, this product is consigned under the Limited Quantities provisions (LQ).

### 14.1. UN number

UN No. (ADR/RID) 3266

UN No. (IMDG) 3266

UN No. (ICAO) 3266

### 14.2. UN proper shipping name

Proper shipping name (ADR/RID) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)

Proper shipping name (IMDG) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)

Proper shipping name (ICAO) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (disodium trioxosilicate)

## LIFT

### 14.3. Transport hazard class(es)

ADR/RID class	Class 8: Corrosive substance.
ADR/RID label	8
IMDG class	Class 8: Corrosive substances.
ICAO class/division	Class 8: Corrosive substances.

### Transport labels



### 14.4. Packing group

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant  
No.

### 14.6. Special precautions for user

EmS	F-A, S-B
Tunnel restriction code	(E)

### 14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL  
And the IBC Code

Not relevant for a packaged product.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation	<p>Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 &amp; 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".</p> <p>The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling &amp; packaging of substances &amp; mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).</p> <p>Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling &amp; packaging of substances &amp; mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).</p>
-------------	---

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

## LIFT

## SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<p>PBT: Persistent, Bioaccumulative and Toxic substance.</p> <p>vPvB: Very Persistent and Very Bioaccumulative.</p> <p>ATE: Acute Toxicity Estimate.</p> <p>ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.</p> <p>IMDG: International Maritime Dangerous Goods.</p> <p>ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.</p> <p>REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.</p> <p>GHS: Globally Harmonized System.</p> <p>Spec Conc Limits = Specific Concentration Limits.</p>
Classification abbreviations and acronyms	<p>Acute Tox. = Acute toxicity</p> <p>Aquatic Acute = Hazardous to the aquatic environment (acute)</p> <p>Aquatic Chronic = Hazardous to the aquatic environment (chronic)</p> <p>Eye Dam. = Serious eye damage</p> <p>Eye Irrit. = Eye irritation</p> <p>Met. Corr. = Corrosive to metals</p> <p>Skin Corr. = Skin corrosion</p> <p>Skin Irrit. = Skin irritation</p>
Key literature references and sources for data	Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory database.
Classification procedures	Calculation Method.
Revision comments	<p>Transport Packing Group selection has been reviewed, leading to a reduced from II to III and now 5L packs are consigned under the Limited Quantities provisions.</p> <p>- No change in Product Classification. (Changes made to sections 14+16)</p>
Revision date	10/04/2025
Revision	14
Hazard statements in full	<p>The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Hazard Statements relating to this Product see Section 2.</p> <p>H290 May be corrosive to metals.</p> <p>H302 Harmful if swallowed.</p> <p>H312 Harmful in contact with skin.</p> <p>H314 Causes severe skin burns and eye damage.</p> <p>H315 Causes skin irritation.</p> <p>H318 Causes serious eye damage.</p> <p>H319 Causes serious eye irritation.</p> <p>H332 Harmful if inhaled.</p> <p>H412 Harmful to aquatic life with long lasting effects.</p>