



### Description

Help to prevent infections with Tork Hand Sanitizing Alcohol foam. With 75%w /w denatured alcohol (ethanol+ isopropanol). It's ideal for sanitising hands in offices and other public areas, or wherever waterless hand hygiene is needed. Conforms with European Standard EN 1500 and EN 14476 (enveloped virus). Suitable for Tork Skincare dispensers, which are proven Easy to use and provide good hand hygiene to all users.

- Conforms with EN1500 and EN14476 (All enveloped viruses, such as: HIV, SARS Corona, HBV, HCV, Influenza H1N1 and H5N1 etc)
- Easy to handle foam formula spreads easily
- Dermatologically tested
- Reduce time for cleaning staff: Certified effortless refilling<sup>1</sup> in less than 10 sec<sup>2</sup>
- Helps secure good hand hygiene:Factory-sealed bottle with a new pump for every refill helps reduce risk of contamination and protect the formulations all the way to the hands.
- Reduce waste: Bottle is collapsible, leading to 70% less waste volume<sup>3</sup>
- Use biocides safely. Always read the label and product information before use.
- Effective
- Help prevent infections

### Certifications



### Shipping Data

	Consumer Units (CON)	Transport unit (TRP)	Pallet (PAL)
EAN	7322541857411	7322541857428	7322542010785
Packaging Material	Plastic bottle	Carton	-
Pieces	1	24 (24 CON)	6528 (272 TRP)
Height	125 mm	129 mm	1,193 mm
Length	35 mm	144 mm	1,200 mm
Width	35 mm	216 mm	1,000 mm
Gross Weight	66.69 g	1.68 kg	455.6 kg
Net Weight	39.71 g	0.95 kg	259.23 kg
Volume	0.15 dm3	4.01 dm3	1.09 m3
Layers Per Pallet	-	-	8
TRP Per Layer	-	-	34

1. Certified by the Swedish Rheumatism association, tested according to The Design for All Test, published in the Swedish Design Research Journal, 2011.  
2. Based on internal panel test soap refilling time.  
3. Based on Essity test

Product Information

Ingredients	65% (w/w) Ethanol 10% (w/w) Propan-1-ol < 0.1% (w/w) Propan-2-olAqua, Propyl Alcohol, Bis-Peg 12 Dimethicone, Coco-Glucoside, Glyceryl Oleate, Peg-200 Hydrogenated Glyceryl Palmate, Peg-7 Glyceryl Cocoate, Behentrimonium Chloride, Dihydroxypropyl Peg-5 Linoleammonium Chloride, Isopropyl Alcohol
pH	6,5
Method Of Use	Ensure hands are clean and dry before use. For general hygiene: Apply 1-2 doses (entire hand should be wetted) and rub well until dry. For disinfection according to EN1500: Apply enough product to keep hands wet for at least 30 seconds. Rub until dry.
Shelf Life	36 months
Handling Instructions	Use disinfectants safely. Always read the label and product information before use. Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. For more information, please refer to the Safety Data Sheet. May discolour certain fabrics or surfaces.
Regulatory Compliance	The biocide products commercialised under the Tork brand are in compliance with the Biocidal Product Regulation (EU) No 528/2012 and are approved for human hygiene purposes. The products are registered and authorised in the respective countries, where the products are sold. The products are in conformity with the REACH regulation (EC) No. 1907/2006 and its amendments. The biocide products are manufactured in accordance with good manufacturing practices (GMPs)
Safety Data Sheet	For safe use and handling of the products, please follow the recommendations on the Safety Data Sheets. These are available on the Tork website in all required local versions according to legal requirements for each region.

Microbiological Tests

	Test method	Test conditions	Test duration
Bacteria	EN 1500	Hygienic Hand Rub	30 sec
	EN 1276	Bacterical acitivity for food, industrial, domestic and institutional areas	30 sec
	EN 13727	Bacterial activity in the medical area	30 sec
Yeasts and Fungi	EN 13624	Fungicidal activity in the medical area	30 sec
	EN 1650	Yeasticidal activity in food, industrial, domestic and institutional areas	30 sec
Viruses	EN 14476	Virucidal activity in the medical area. ( all enveloped viruses, such as HIV, SARS, Corona, HBV, HCV, Influenza H1N1 and H5N1 etc.)	30 sec
Mycobacteria	EN 14348	Mycobactericidal activity for the medical area M. terrae (Tuberculosis)	15 sec
Footnotes	Tested in conformity with EN 14485		