



Description

Help to prevent infections with Tork Hand Sanitizing Alcohol foam. With 75%w /w denatured alcohol (ethanol+ isopropanol). It's ideal for sanitising hands in offices and other public areas, or wherever waterless hand hygiene is needed. Conforms with European Standard EN 1500 and EN 14476 (enveloped virus). Suitable for Tork Skincare dispensers, which are proven Easy to use and provide good hand hygiene to all users.

- Conforms with EN1500 and EN14476 (All enveloped viruses, such as: HIV, SARS Corona, HBV, HCV, Influenza H1N1 and H5N1 etc)
- Easy to handle foam formula spreads easily
- Dermatologically tested
- Helps secure good hand hygiene: Factory-sealed bottle with a new pump for every refill helps reduce risk of contamination and protect the formulations all the way to the hands.
- Use biocides safely. Always read the label and product information before use.
- Effective
- Help prevent infections

Certifications



Shipping Data

| | Consumer Units (CON) | Transport unit (TRP) | Pallet (PAL) |
|--------------------|----------------------|----------------------|----------------|
| EAN | 7322541857350 | 7322541857367 | 7322541934969 |
| Packaging Material | Plastic bottle | Carton | - |
| Pieces | 1 | 6 (6 CON) | 1260 (210 TRP) |
| Height | 201 mm | 204 mm | 1,374 mm |
| Length | 47 mm | 155 mm | 1,200 mm |
| Width | 81 mm | 165 mm | 800 mm |
| Gross Weight | 309.17 g | 1.95 kg | 408.87 kg |
| Net Weight | 254.97 g | 1.53 kg | 321.26 kg |
| Volume | 0.77 dm3 | 5.22 dm3 | 1.1 m3 |
| Layers Per Pallet | - | - | 6 |
| TRP Per Layer | - | - | 35 |

Product Information

| | |
|-----------------------|---|
| Ingredients | 65% (w/w) Ethanol 10% (w/w) Propan-1-ol < 0.1% (w/w) Propan-2-olAqua, Propyl Alcohol, Bis-Peg 12 Dimethicone, Coco-Glucoside, Glyceryl Oleate, Peg-200 Hydrogenated Glyceryl Palmate, Peg-7 Glyceryl Cocoate, Behentrimonium Chloride, Dihydroxypropyl Peg-5 Linoleammonium Chloride, Isopropyl Alcohol |
| pH | 6,5 |
| Method Of Use | Ensure hands are clean and dry before use. For general hygiene: Apply 1-2 doses (entire hand should be wetted) and rub well until dry. For disinfection according to EN1500: Apply enough product to keep hands wet for at least 30 seconds. Rub until dry. |
| Shelf Life | 36 months |
| Handling Instructions | Use disinfectants safely. Always read the label and product information before use. Avoid contact with eyes. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. For more information, please refer to the Safety Data Sheet. May discolour certain fabrics or surfaces. |
| Regulatory Compliance | The biocide products commercialised under the Tork brand are in compliance with the Biocidal Product Regulation (EU) No 528/2012 and are approved for human hygiene purposes. The products are registered and authorised in the respective countries, where the products are sold. The products are in conformity with the REACH regulation (EC) No. 1907/2006 and its amendments. The biocide products are manufactured in accordance with good manufacturing practices (GMPs) |
| Safety Data Sheet | For safe use and handling of the products, please follow the recommendations on the Safety Data Sheets. These are available on the Tork website in all required local versions according to legal requirements for each region. |

Microbiological Tests

| | Test method | Test conditions | Test duration |
|------------------|------------------------------------|---|---------------|
| Bacteria | EN 1500 | Hygienic Hand Rub | 30 sec |
| | EN 1276 | Bacterical acitivity for food, industrial, domestic and institutional areas | 30 sec |
| | EN 13727 | Bacterial activity in the medical area | 30 sec |
| Yeasts and Fungi | EN 13624 | Fungicidal activity in the medical area | 30 sec |
| | EN 1650 | Yeasticidal activity in food, industrial, domestic and institutional areas | 30 sec |
| Viruses | EN 14476 | Virucidal activity in the medical area. (all enveloped viruses, such as HIV, SARS, Corona, HBV, HCV, Influenza H1N1 and H5N1 etc.) | 30 sec |
| Mycobacteria | EN 14348 | Mycobactericidal activity for the medical area M. terrae (Tuberculosis) | 15 sec |
| Footnotes | Tested in conformity with EN 14485 | | |