

## 3DLR FRAMBOISINE - 3543



## SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1. Product identifier**

Product name : PRODIFLORE 3DLR FRAMBOISINE (LAVSFRBE3DLR)

Product code : 3543.

**1.2. Relevant identified uses of the substance or mixture and uses advised against****1.3. Details of the supplier of the safety data sheet**

Registered company name : PRODIFA.

Address : ZAE les dix Muids.59770.Marly.France.

Telephone : 03.27.28.19.19. Fax : 03.27.28.19.10.

info@prodifa.com

http://www.prodifa.com/

**1.4. Emergency telephone number : 03.83.22.50.50.**

Association/Organisation : Permanence médicale du Centre anti-poison de Nancy.

## SECTION 2 : HAZARDS IDENTIFICATION

**2.1. Classification of the substance or mixture****In compliance with EC regulation No. 1272/2008 and its amendments.**

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Serious eye damage, Category 1 (Eye Dam. 1, H318).

May produce an allergic reaction (EUH208).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

**2.2. Label elements**

Biocidal detergent mixture (see section 15).

**In compliance with EC regulation No. 1272/2008 and its amendments.**

Hazard pictograms :



GHS05

Signal Word :

DANGER

Product identifiers :

EC POLYMER

EC 270-325-2

EC 230-525-2

C9-C11 PARETH 8

BENZALKONIUM CHLORIDE

CHLORURE DE DIDECYLDIMETHYLAMMONIUM

Additional labeling :

EUH208

Contains 4-TERT-BUTYLCYCLOHEXYL ACETATE. May produce an allergic reaction.

Hazard statements :

H315

Causes skin irritation.

H318

Causes serious eye damage.

H412

Harmful to aquatic life with long lasting effects.

Precautionary statements - General :

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

**3DLR FRAMBOISINE - 3543**

P103	Read carefully and follow all instructions.
Precautionary statements - Prevention :	
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statements - Response :	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor/...
Precautionary statements - Disposal :	
P501	Dispose of contents/container to ...

**2.3. Other hazards**

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

**SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS****3.2. Mixtures****Composition :**

Identification	(EC) 1272/2008	Note	%
CAS: 68439-46-3 EC: POLYMER C9-C11 PARETH 8	GHS07, GHS05 Dgr Acute Tox. 4, H302 Eye Dam. 1, H318		2.5 $\leq$ x % < 7.5
CAS: 64-17-5 EC: 200-578-6 REACH: 01-2119457610-43-xxxx ETHANOL	GHS07, GHS02 Dgr Flam. Liq. 2, H225 Eye Irrit. 2, H319	[1]	0 $\leq$ x % < 2.5
CAS: 68424-85-1 EC: 270-325-2 BENZALKONIUM CHLORIDE	GHS07, GHS05, GHS09 Dgr Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 $\leq$ x % < 2.49
CAS: 7173-51-5 EC: 230-525-2 CHLORURE DE DIDECYLDIMETHYLAMMONIUM	GHS07, GHS05, GHS09 Dgr Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 2, H411 Aquatic Acute 1, H400 M Acute = 10		0 $\leq$ x % < 2.49
INDEX: 603-212-00-7 CAS: 1222-05-5 EC: 214-946-9 1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8-HEXAMETHYLINDENO[5,6-C]PYRAN	GHS09 Wng Aquatic Acute 1, H400 M Acute = 1 Aquatic Chronic 1, H410 M Chronic = 1		0 $\leq$ x % < 0.99
CAS: 32210-23-4 EC: 250-954-9 4-TERT-BUTYLCYCLOHEXYL ACETATE	GHS07 Wng Skin Sens. 1B, H317		0 $\leq$ x % < 0.99

(Full text of H-phrases: see section 16)

**3DLR FRAMBOISINE - 3543****Information on ingredients :**

[1] Substance for which maximum workplace exposure limits are available.

**SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

**4.1. Description of first aid measures****In the event of exposure by inhalation :**

In the event of an allergic reaction, seek medical attention.

**In the event of splashes or contact with eyes :**

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

**In the event of splashes or contact with skin :**

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

**In the event of swallowing :**

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention immediately, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

**4.2. Most important symptoms and effects, both acute and delayed**

No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**

No data available.

**SECTION 5 : FIREFIGHTING MEASURES**

Non-flammable.

**5.1. Extinguishing media****Suitable methods of extinction**

In the event of a fire, use :

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO<sub>2</sub>)

**Unsuitable methods of extinction**

In the event of a fire, do not use :

- water jet

**5.2. Special hazards arising from the substance or mixture**

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO<sub>2</sub>)

**3DLR FRAMBOISINE - 3543**

**5.3. Advice for firefighters**

No data available.

**SECTION 6 : ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Consult the safety measures listed under headings 7 and 8.

**For non first aid worker**

Avoid any contact with the skin and eyes.

**For first aid worker**

First aid workers will be equipped with suitable personal protective equipment (See section 8).

**6.2. Environmental precautions**

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

**6.3. Methods and material for containment and cleaning up**

If the ground is contaminated, once the product has been recovered by sponging with an inert and non-combustible absorbent material, wash the contaminated area in plenty of water.

Clean preferably with a detergent, do not use solvents.

**6.4. Reference to other sections**

No data available.

**SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

**7.1. Precautions for safe handling**

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

**Fire prevention :**

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :**

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Avoid eye contact with this mixture at all times.

Packages which have been opened must be reclosed carefully and stored in an upright position.

**Prohibited equipment and procedures :**

No smoking, eating or drinking in areas where the mixture is used.

**7.2. Conditions for safe storage, including any incompatibilities**

No data available.

**Storage**

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

**Packaging**

Always keep in packaging made of an identical material to the original.

**7.3. Specific end use(s)**

No data available.

## 3DLR FRAMBOISINE - 3543

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1. Control parameters

## Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5		1000 ppm		A3	

- Germany - AGW (BAuA - TRGS 900, 08/08/2019) :

CAS	VME :	VME :	Excess	Notes
64-17-5		200 ppm 380 mg/m <sup>3</sup>		4(II)

- France (INRS - ED984 / 2019-1487) :

CAS	VME-ppm :	VME-mg/m <sup>3</sup> :	VLE-ppm :	VLE-mg/m <sup>3</sup> :	Notes :	TMP No :
64-17-5	1000	1900	5000	9500	-	84

- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
64-17-5	1000 ppm 1920 mg/m <sup>3</sup>	- ppm - mg/m <sup>3</sup>			

## Derived no effect level (DNEL) or derived minimum effect level (DMEL):

ETHANOL (CAS: 64-17-5)

## Final use:

Exposure method:  
Potential health effects:  
DNEL :Exposure method:  
Potential health effects:  
DNEL :Exposure method:  
Potential health effects:  
DNEL :

## Final use:

Exposure method:  
Potential health effects:  
DNEL :Exposure method:  
Potential health effects:  
DNEL :Exposure method:  
Potential health effects:  
DNEL :Exposure method:  
Potential health effects:  
DNEL :

## Workers.

Dermal contact.  
Long term systemic effects.  
343 mg/kg body weight/dayInhalation.  
Short term local effects.  
1900 mg of substance/m<sup>3</sup>Inhalation.  
Long term systemic effects.  
950 mg of substance/m<sup>3</sup>

## Consumers.

Ingestion.  
Long term systemic effects.  
87 mg/kg body weight/dayDermal contact.  
Long term systemic effects.  
206 mg/kg body weight/dayInhalation.  
Short term local effects.  
950 mg of substance/m<sup>3</sup>Inhalation.  
Long term systemic effects.  
114 mg of substance/m<sup>3</sup>

## Predicted no effect concentration (PNEC):

ETHANOL (CAS: 64-17-5)

Environmental compartment:

Soil.

**3DLR FRAMBOISINE - 3543**

PNEC :	0.63 mg/kg
Environmental compartment: PNEC :	Fresh water. 0.96 mg/l
Environmental compartment: PNEC :	Sea water. 0.79 mg/l
Environmental compartment: PNEC :	Intermittent waste water. 2.75 mg/l
Environmental compartment: PNEC :	Fresh water sediment. 3.6 mg/kg
Environmental compartment: PNEC :	Marine sediment. 2.9 mg/kg
Environmental compartment: PNEC :	Waste water treatment plant. 580 mg/l

**8.2. Exposure controls****Personal protection measures, such as personal protective equipment**

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

**- Eye / face protection**

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

**- Hand protection**

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))

Recommended properties :

- Impervious gloves in accordance with standard EN ISO 374-2

**- Body protection**

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

**3DLR FRAMBOISINE - 3543**

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

**SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES****9.1. Information on basic physical and chemical properties****General information :**

Physical state : Fluid liquid.  
Odour: Raspberry

**Important health, safety and environmental information**

pH : 7.00 ±1.  
Neutral.  
Flash point interval : Not relevant.  
Vapour pressure (50°C) : Not relevant.  
Density : 0.992g/cm3  
Water solubility : Soluble.

**9.2. Other information**

No data available.

**SECTION 10 : STABILITY AND REACTIVITY****10.1. Reactivity**

No data available.

**10.2. Chemical stability**

This mixture is stable under the recommended handling and storage conditions in section 7.

**10.3. Possibility of hazardous reactions**

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

**10.4. Conditions to avoid**

Avoid :  
- frost

**10.5. Incompatible materials**

No data available.

**10.6. Hazardous decomposition products**

The thermal decomposition may release/form :  
- carbon monoxide (CO)  
- carbon dioxide (CO2)

**SECTION 11 : TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have irreversible effects on the eyes, such as tissue damage in the eye, or serious physical decay of sight, which is not fully reversible by the end of observation at 21 days.

Serious eye damage is typified by the destruction of cornea, persistent corneal opacity and iritis.

**11.1.1. Substances****Acute toxicity :**

4-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)  
Oral route : LD50 = 3370 mg/kg

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)

**3DLR FRAMBOISINE - 3543**

Oral route : LD50 = 410 mg/kg  
Species : Rat

Dermal route : LD50 > 2000 mg/kg

**BENZALKONIUM CHLORIDE (CAS: 68424-85-1)**

Oral route : LD50 > 200 mg/kg  
Species : Rat

**ETHANOL (CAS: 64-17-5)**

Oral route : LD50 = 10470 mg/kg  
Species : Rat  
OECD Guideline 401 (Acute Oral Toxicity)

Dermal route : LD50 > 2000 mg/kg  
Species : Rabbit  
OECD Guideline 402 (Acute Dermal Toxicity)

Inhalation route (Vapours) : LC50 = 51 mg/l  
Species : Rat  
OECD Guideline 403 (Acute Inhalation Toxicity)  
Duration of exposure : 4 h

**C9-C11 PARETH 8 (CAS: 68439-46-3)**

Oral route : LD50 = 1200 mg/kg  
Species : Rat

Dermal route : LD50 > 2000 mg/kg  
Species : Rat

**Skin corrosion/skin irritation :****CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)**

Corrosivity : Causes severe skin burns.  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**BENZALKONIUM CHLORIDE (CAS: 68424-85-1)**

Corrosivity : Causes severe skin burns.  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**ETHANOL (CAS: 64-17-5)**

Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Irritation : No observed effect.  
Average score < 1.5  
Species : Rabbit  
OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

**Serious damage to eyes/eye irritation :****CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)**

Iritis : Average score > 1.5  
OECD Guideline 405 (Acute Eye Irritation / Corrosion)



**3DLR FRAMBOISINE - 3543**

ETHANOL (CAS: 64-17-5)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

OECD Guideline 405 (Acute Eye Irritation / Corrosion)

**Respiratory or skin sensitisation :**

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)

Local lymph node stimulation test : Non-Sensitiser.

Guinea Pig Maximisation Test (GMPT) : Non-sensitiser.

Buehler Test : Non-sensitiser.  
Species : Guinea pig  
OECD Guideline 406 (Skin Sensitisation)

BENZALKONIUM CHLORIDE (CAS: 68424-85-1)

Local lymph node stimulation test : Non-Sensitiser.  
Species : Guinea pig  
OECD Guideline 406 (Skin Sensitisation)Guinea Pig Maximisation Test (GMPT) : Non-sensitiser.  
Species : Guinea pig  
OECD Guideline 406 (Skin Sensitisation)Buehler Test : Non-sensitiser.  
Species : Guinea pig  
OECD Guideline 406 (Skin Sensitisation)

ETHANOL (CAS: 64-17-5)

Local lymph node stimulation test : Non-Sensitiser.

Guinea Pig Maximisation Test (GMPT) : Non-sensitiser.  
Species : Others  
OECD Guideline 406 (Skin Sensitisation)Buehler Test : Non-sensitiser.  
Species : Others  
OECD Guideline 406 (Skin Sensitisation)

C9-C11 PARETH 8 (CAS: 68439-46-3)

Local lymph node stimulation test : Non-Sensitiser.  
Species : OthersGuinea Pig Maximisation Test (GMPT) : Non-sensitiser.  
Species : OthersBuehler Test : Non-sensitiser.  
Species : Others**Germ cell mutagenicity :**

C9-C11 PARETH 8 (CAS: 68439-46-3)

Mutagenesis (in vitro) : Negative.

**3DLR FRAMBOISINE - 3543**

Species : Mammalian Cell Line  
OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)  
No mutagenic effect.

Mutagenesis (in vitro) : Negative.  
Species : Bacteria  
OECD Guideline 471 (Bacterial Reverse Mutation Assay)

Ames test (in vitro) : Negative.

**Carcinogenicity :**

C9-C11 PARETH 8 (CAS: 68439-46-3)  
Carcinogenicity Test : Negative.  
No carcinogenic effect.  
Species : Rat

**Reproductive toxicant :**

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)  
No toxic effect for reproduction  
OECD Guideline 414 (Prenatal Developmental Toxicity Study)

C9-C11 PARETH 8 (CAS: 68439-46-3)  
No toxic effect for reproduction

**Specific target organ systemic toxicity - repeated exposure :**

C9-C11 PARETH 8 (CAS: 68439-46-3)  
Dermal route : C = 80 mg/kg bodyweight/day  
Duration of exposure : 90 days  
OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)

**11.1.2. Mixture****Respiratory or skin sensitisation :**

Contains at least one sensitising substance. May cause an allergic reaction.

**Monograph(s) from the IARC (International Agency for Research on Cancer) :**

CAS 97-53-0 : IARC Group 3 : The agent is not classifiable as to its carcinogenicity to humans.

CAS 64-17-5 : IARC Group 1 : The agent is carcinogenic to humans.

**SECTION 12 : ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

**12.1. Toxicity****12.1.1. Substances**

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)  
Fish toxicity : LC50 = 0.5 mg/l  
Factor M = 1  
Species : Brachydanio rerio  
Duration of exposure : 96 h

Crustacean toxicity : EC50 = 0.03 mg/l  
Factor M = 10  
Species : Daphnia magna

**3DLR FRAMBOISINE - 3543**

Duration of exposure : 48 h

NOEC = 0.021 mg/l

Species : *Daphnia magna*

Duration of exposure : 21 days

OECD Guideline 211 (*Daphnia magna* Reproduction Test)

Algae toxicity :

ECr50 = 0.06 mg/l

Factor M = 10

Species : *Selenastrum capricornutum*

Duration of exposure : 96 h

**BENZALKONIUM CHLORIDE (CAS: 68424-85-1)**

Fish toxicity :

LC50 = 0.085 mg/l

Species : *Oncorhynchus mykiss*

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity :

EC50 = 0.016 mg/l

Species : *Daphnia magna*

Duration of exposure : 48 h

NOEC = 0.025 mg/l

Species : *Daphnia magna*

Duration of exposure : 21 days

OECD Guideline 211 (*Daphnia magna* Reproduction Test)

Algae toxicity :

ECr50 = 0.025 mg/l

Species : *Scenedesmus capricornutum*

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

EC10 = mg/l

Factor M = 1

Species : *Scenedesmus capricornutum*

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

**ETHANOL (CAS: 64-17-5)**

Fish toxicity :

LC50 = 13000 mg/l

Species : *Oncorhynchus mykiss*

Duration of exposure : 96 h

OECD Guideline 203 (Fish, Acute Toxicity Test)

Crustacean toxicity :

EC50 = 858 mg/l

Species : *Artemia salina*

Duration of exposure : 24 h

OECD Guideline 202 (*Daphnia* sp. Acute Immobilisation Test)

Algae toxicity :

ECr50 = 275 mg/l

Species : *Chlorella vulgaris*

Duration of exposure : 72 h

OECD Guideline 201 (Alga, Growth Inhibition Test)

**C9-C11 PARETH 8 (CAS: 68439-46-3)**

**3DLR FRAMBOISINE - 3543**

Fish toxicity :	LC50 > 11 mg/l Duration of exposure : 96 h Other guideline
	EC10 mg/l Duration of exposure : 21 days
Crustacean toxicity :	EC50 > 9 mg/l Duration of exposure : 48 h Other guideline
	EC10 mg/l Duration of exposure : 21 days
Algae toxicity :	ECr50 = 47 mg/l Duration of exposure : 72 h Other guideline
	EC10 mg/l Duration of exposure : 72 h
Aquatic plant toxicity :	

**12.1.2. Mixtures**

No aquatic toxicity data available for the mixture.

**12.2. Persistence and degradability****12.2.1. Substances**

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)

Biodegradability : Rapidly degradable.

BENZALKONIUM CHLORIDE (CAS: 68424-85-1)

Biodegradability : Rapidly degradable.

ETHANOL (CAS: 64-17-5)

Biodegradability : Rapidly degradable.

C9-C11 PARETH 8 (CAS: 68439-46-3)

Biodegradability : Rapidly degradable.

**12.3. Bioaccumulative potential****12.3.1. Substances**

CHLORURE DE DIDECYLDIMETHYLAMMONIUM (CAS: 7173-51-5)

Bioaccumulation : BCF = 81  
OECD Guideline 305 (Bioconcentration: Flow-through Fish Test)

BENZALKONIUM CHLORIDE (CAS: 68424-85-1)

Octanol/water partition coefficient : log K<sub>ow</sub> = 2.88  
OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method)

ETHANOL (CAS: 64-17-5)

Octanol/water partition coefficient : log K<sub>ow</sub> = -0.3

Bioaccumulation : BCF = 0.66

C9-C11 PARETH 8 (CAS: 68439-46-3)

**3DLR FRAMBOISINE - 3543**

Octanol/water partition coefficient : log K<sub>ow</sub> < 3.99

Bioaccumulation : BCF < 12.7

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

No data available.

**12.6. Other adverse effects**

No data available.

**SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

**13.1. Waste treatment methods**

Do not pour into drains or waterways.

**Waste :**

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

**Soiled packaging :**

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

**SECTION 14 : TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

**14.1. UN number**

-

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

-

**14.4. Packing group**

-

**14.5. Environmental hazards**

-

**14.6. Special precautions for user**

-

**SECTION 15 : REGULATORY INFORMATION****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****- Classification and labelling information included in section 2:**

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)

**- Container information:**

No data available.

**- Particular provisions :**

No data available.

**- Labelling for detergents (EC Regulation No. 648/2004,907/2006) :**

- less than 5 % : cationic surfactants

- 5 % or over but less than 15 % : nonionic surfactants

**3DLR FRAMBOISINE - 3543**

- disinfectants
- perfumes

**- Labelling for biocidal products (Regulation 1896/2000, 1687/2002, 2032/2003, 1048/2005, 1849/2006, 1451/2007 and Directive 98/8/EC) :**

Name	CAS	%	Product-type
ETHANOL	64-17-5	22.04 g/kg	02
CHLORURE DE DIDECYLDIMETHYLAMMONIUM	7173-51-5	17.50 g/kg	02
BENZALKONIUM CHLORIDE	68424-85-1	17.50 g/kg	02

Product-type 2 : Disinfectants and algicides not intended for direct application to humans or animals.

**15.2. Chemical safety assessment**

No data available.

**SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

**Wording of the phrases mentioned in section 3 :**

H225	Highly flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations :**

DNEL : Derived No-Effect Level

PNEC : Predicted No-Effect Concentration

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefährdungsklasse (Water Hazard Class).

GHS05 : Corrosion

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.